Discrete Mathematics 102 (1992) 329–330
North-Holland

Author index to volume 102 (1992)

Amar, D., A condition for a hamiltonian bipartite graph to be bipancyclic (3) 221–227
Astié-Vidal, A. and V. Dugat, Near-homogeneous tournaments and permutation groups (2) 111–120
Baartmans, A., W. Wallis and J. Yucas, A geometric construction of the Steiner system $S(4, 7, 23)$ (2) 177–186
Barcucci, E. and M.C. Verri, Some more properties of Catalan numbers (3) 229–237
Bienstock, D., On the complexity of testing for odd holes and induced odd paths (*Corrigendum*) (1) 109
Borodin, O.V., Diagonal coloring of the vertices of triangulations (*Note*) (1) 95– 96
Borodin, O.V. and J. Mayer, Decomposition of K_{13} into a torus graph and a graph imbedded in the Klein bottle (*Note*) (1) 97– 98
Brown, J.I., A vertex critical graph without critical edges (*Note*) (1) 99–101
Brualdi, R.A., N. Cai and V.S. Pless, Orphan structure of the first-order Reed–Muller codes (3) 239–247
Caccetta, L. and W.F. Smyth, Graphs of maximum diameter (2) 121–141
Cai, L. and D. Corneil, On cycle double covers of line graphs (*Note*) (1) 103–106
Cai, N., see Brualdi, R.A. (3) 239–247
Cohn, J.H.E., A D-optimal design of order 102 (*Communication*) (1) 61– 65
Collatz, L., The 93 classes of equitilings of the plane with characteristics ≥ 3 (1) 1– 11
Corneil, D., see Cai, L. (1) 103–106
Crama, Y., M. Loebl and S. Poljak, A decomposition of strongly unimodular matrices into incidence matrices of digraphs (2) 143–147
Dugat, V., see Astié-Vidal, A. (2) 111–120
Erdős, P. and A. Sárközy, Arithmetic progressions in subset sums (3) 249–264
Foldes, S., I. Rival and J. Urrutia, Light sources, obstructions and spherical orders (1) 13– 23
Hamilton, G.M. and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets I: split systems (1) 25– 45
Hammer, J. and D.G. Sarvate, Generalizations of results of Stanton on BIBDs (2) 149–154
Hart, M.R. and X. Yu, On a problem of Hendry (*Note*) (1) 107–108
Heden, O., On the modular n-queen problem (2) 155–161
Hendry, G.R.T., An Ore-type sufficient condition for a bipancyclic ordering (1) 47– 49
Hoàng, C.T., F. Maffray, S. Olariu and M. Preissmann, A charming class of perfectly orderable graphs (*Communication*) (1) 67– 74
Jackson, B., H. Li and Y. Zhu, Dominating cycles in regular 3-connected graphs (2) 163–176
Kleinschmidt, P. and S. Onn, On the diameter of convex polytopes (*Communication*) (1) 75– 77
Landman, B.M., Ramsey functions related to the van der Waerden numbers (3) 265–278
Li, H., see Jackson, B. (2) 163–176
Loebl, M., see Crama, Y. (2) 143–147
Maffray, F., see Hoàng, C.T. (1) 67– 74
Marušič, D., R. Scapellato and N. Zagaglia Salvi, Generalized Cayley graphs (3) 279–285
Mayer, J., see Borodin, O.V. (1) 97– 98
Moss, L.S., Distanced graphs (3) 287–305
Myrvold, W., The degree sequence is reconstructible from $n-1$ cards (2) 187–196
Olariu, S., see Hoàng, C.T. (1) 67– 74
Onn, S., see Kleinschmidt, P. (1) 75– 77
Payan, C., see Sun, S.X. (1) 79– 83
Pless, V.S., see Brualdi, R.A. (3) 239–247

Onn, S., see Kleinschmidt, P. (1) 75– 77
Payan, C., see Sun, S.X. (1) 79– 83
Pless, V.S., see Brualdi, R.A. (3) 239–247
Poljak, S., see Crama, Y. (2) 143–147
Preissmann, M., see Hoàng, C.T. (1) 67– 74
Rival, I., see Foldes, S. (1) 13– 23
Rogers, D.G., see Hamilton, G.M. (1) 25– 45
Sárközy, A., see Erdős, P. (3) 249–264
Sarvate, D.G., see Hammer, J. (2) 149–154
Scapellato, R., see Marušič, D. (3) 279–285
Sheehan, J., Balanced graphs with minimum degree constraints (3) 307–314
Smyth, W.F., see Caccetta, L. (2) 121–141
Sun, S.X. and C. Payan, Sur l'immersion gracieuse de K_N dans Q_n (*Communication*) (1) 79– 83
Urrutia, J., see Foldes, S. (1) 13– 23
Verri, M.C., see Barcucci, E. (3) 229–237
Wallis, W., see Baartmans, A. (2) 177–186
Wilkeit, E., The retracts of Hamming graphs (2) 197–218
Woodall, D.R., Local and global proportionality (3) 315–328
Yu, X., On several symmetry conditions for graphs (1) 51– 59
Yu, X., see Hart, M.R. (1) 107–108
Yucas, J., see Baartmans, A. (2) 177–186
Zagaglia Salvi, N., see Marušič, D. (3) 279–285
Zeilberger, D., A proof of Julian West's conjecture that the number of two-stack-sortable permutations of length n is $2(3n)!/((n+1)!(2n+1)!)$ (*Communication*) (1) 85– 93
Zhu, Y., see Jackson, B. (2) 163–176